

GE
2023
MA
2024

2023 // 2024

MAPLUS

MAPLUS FLUORINE EXPERTS

From the passion for skiing and the mastery of the fluorine chemistry Maplus, a division specialized in ski wax and technical accessories for ski preparation, was born in 1997. Thanks to the synergies with the industrial chemical research of Maflon SPA, a dynamic and innovative company specialized in the production of high-tech fluorinated products, owned by Mazza Holding of Castelli Calepio (Bg), this industrial company, 100% Italian, in just twenty years, braving more long-lived competitors out, has managed to reach a leading position in high-level competitions.

Since its debut in the cross-country World Championship in Ramsau in 1998, with the novelty of a perfluorinated liquid product, up to the successes of the Pyeongchang Olympics in 2017 and Åre 2019, Maplus has become, with its perfluorinated products, the reference in terms of gliding and durability in the ski and snowboard World Cups.

We can declare with satisfaction that today Maplus waxes are used in competition by all the National Teams and by all the ski companies present in the World Cup!

And yet Maplus does not care only of athletes and their results: the experience gained at the highest level has allowed us to develop a complete line of wax ideal to meet the needs of any skier and snowboarder, from the freeride addicted to the beginner who wants an easy to manage equipment, up to the needs of the professional laboratories for the rentals.

MAPLUS

GENERAL CATALOG 2023/24



SKI ^{WAX} | WAXCELERATE... GM

Innovative products crafted with revolutionary components designed to enhance skiing experience.
Not only they perform exceptionally, but also have a minimal environmental impact.
Proud to offer visionary products that meet both of those criteria.

Waxcelerate... Glide Maxx!

GM BOOST POWDER

	MFF0140 COLD	MFF0141 MED	MFF0142 HOT
Snow conditions:	Any snow, new and transformed, artificial and natural	Any snow, new and transformed, artificial and natural	Moist, polished and/or icy compact and mixed artificial snow
Snow temperature:	- 22°C / - 8°C	-9°C / -2°C	-3°C / 0°C
Air humidity:	50% - 80%	50% - 90%	60% - 100%
Application:	Hot application Δ 160°C	Hot application Δ 160°C	Hot application Δ 160°C

Note: GM BOOST powder are recommended to be overlapped on GM BASE Solid or Gel

HOT APPLICATION WITH WAXING IRON

1. Spread powder wax evenly on the ski base;
2. Melt the wax passing the waxing iron from the tip to the tail at recommended temperature of 160°C; move the iron at a constant speed (nearly 3 cm per second);
3. Wait at least few minutes for the ski wax to harden and the ski base to cool down;
4. If necessary, remove the excess of melted wax with a sharpened plexy scraper with gentle pressure;
5. Free the ski base structure with manual soft brass brush;
6. Brush the ski base with manual or roto hard horsehair brush;
7. Brush the ski base with manual or roto soft nylon brush;
8. Polish the ski base with 12 mm merino wool roller.



GM BOOST LIQUID

	MFF0150 COLD	MFF0151 MED	MFF0152 HOT
Snow conditions:	Any snow, new and transformed, artificial and natural	Any snow, new and transformed, artificial and natural	Moist, polished and/or icy compact and mixed artificial snow
Snow temperature:	- 22°C / - 8°C	-9°C / -2°C	-3°C / 0°C
Air humidity:	50% - 80%	50% - 90%	60% - 100%

Note: GM BOOST liquid must be always overlapped on GM BASE Solid or Gel

COLD APPLICATION WITH MANUAL FELT

1. Drip the ski wax, spread it with a felt pad to cover all the ski base (useful the pad MTO118);
2. Allow the still liquid wax to penetrate into the spreaded area with rubbing and pressing action with the pad and repeat the same procedure on the whole ski base;
3. Wait five minutes for the ski wax to harden;
4. Free the ski & edge side from the hardened wax with a plexy scraper;
5. Brush the ski base with forward and backward movements pressing with a manual hard nylon brush;
6. Brush the ski base with an hard horsehair manual or roto brush;
7. Polish the ski base with a manual or soft nylon roto brush;
8. For a final touch, polish the ski base with 12 mm merino wool roller.



GM BASE SOLID

	MFF0160 - MFF0170 - MFF0180 COLD	MFF0161 - MFF0171 - MFF0181 MED	MFF0162 - MFF0172 - MFF0182 HOT
Snow conditions:	Any snow, new and transformed, artificial and natural	Any snow, new and transformed, artificial and natural	Moist, polished and/or icy compact and mixed artificial snow
Snow temperature:	- 22°C / - 8°C	-9°C / -2°C	-3°C / 0°C
Air humidity:	30% - 80%	40% - 90%	50% - 100%
Application:	Hot application Δ 150°C	Hot application Δ 150°C	Hot application Δ 140°C

HOT APPLICATION WITH WAXING IRON

1. Let the wax block drop on 20 cm of the ski base putting it in contact with the waxing iron base at the recommended temperature for each kind of product and melt the wax immediately spreading it with a regular backward and forward movement (from tip to tail);
2. Repeat the same procedure on all the ski base, then carry out a final passage from the tip to the tail (nearly 4/5 cm per second for GM BASE Cold and Med, nearly 3 cm per second for GM BASE Hot);
3. (mix with hardener) If snow conditions should require an harder base, over the GM BASE layer just hardened, place some ARTIC BASE powder (higher will be the snow abrasion, bigger will be the quantity of powder) and carry out a slow passage (nearly 3 cm per second) with the waxing iron at 150°C. melting perfectly the powder inside the solid wax;
4. Free the ski & edge side from the hardened wax with a plexy scraper;
5. Wait at least 15 minutes for the ski wax to harden and the ski base to cool down, then remove the wax in excess with a sharpened plexy scraper with gentle pressure;
6. Free the ski base structure with manual hard steel brush;
7. Brush the ski base with manual or roto hard brass brush;
8. Brush the ski base with manual or roto hard horsehair brush;
9. Polish the ski base with manual or roto soft nylon brush.



GM BASE GEL

	MFF0130 - MFF0136 COLD	MFF0131 - MFF0137 MED	MFF0132 - MFF0138 HOT
Snow conditions:	Any snow, new and transformed, artificial and natural	Any snow, new and transformed, artificial and natural	Moist, polished and/or icy compact and mixed artificial snow
Snow temperature:	- 22°C / - 8°C	-9°C / -2°C	-3°C / 0°C
Air humidity:	30% - 80%	40% - 90%	50% - 100%

COLD APPLICATION WITH MANUAL FELT

1. Drip the ski wax, spread it with a felt pad to cover all the ski base (useful the pad MTO118);
2. Allow the still liquid wax to penetrate into the spreaded area with rubbing and pressing action with the pad and repeat the same procedure on the whole ski base;
3. Wait five minutes for the ski wax to harden;
4. Free the ski & edge side from the hardened wax with a plexy scraper;
5. Brush the ski base with forward and backward movements pressing with a manual hard nylon brush;
6. Brush the ski base with an hard horsehair manual or roto brush;
7. Polish the ski base with a manual or soft nylon roto brush;
8. For a final touch, polish the ski base with 12 mm merino wool roller.



SKI WAX

FLUOR FREE BASES



PRODUCTS

RACING
BASE PARAFFIN

ARCTIC BASE

CODE: MW1000 - POWDER - 100 gr
CODE: MW0810 - 250 gr
CODE: MW0820 - 1 kg

USE

SNOW TEMP: - 30° / - 10° C
APPLICATION: 160 °C

Powder and solid paraffin for training use and racing. Use for new, fine, abrasive snow with temperature from -30°C to -10°C. In case of very abrasive old icy snow (spring snow and glacier snow), this paraffin can be used over the fluorocarbon waxes FP4 to increase their long lasting. The final result will be a lower hydrophobia. It can also be used as universal hardener to protect the polyethylene base along the steel edges foils in case of natural or artificial very abrasive snow. Use hot application with the waxing iron at 160°C.



PRODUCTS

RACING
BASE PARAFFIN

MED BASE

CODE: MW0870 - 250 gr
CODE: MW0875 - 1 kg

USE

SNOW TEMP: - 10° / - 5° C
APPLICATION: 130° / 140 °C

Solid base paraffin for any type of snow with temperature from -10°C to -5°C. It's an excellent product for the protection of racing ski bases and it can be used as universal training and testing base. Use hot application with the waxing iron at 130°/140°C.



PRODUCTS

RACING
BASE PARAFFIN

SOFT BASE

CODE: MW0871 - 250 gr
CODE: MW0876 - 1 kg

USE

SNOW TEMP: - 5° / 0° C
APPLICATION: 120° / 130 °C

Solid base paraffin for any type of snow with temperature from -5°C to 0°C. It's an excellent product for the saturation and the protection of racing ski bases and it can be used as universal training and testing base. It has a melting point of 60°C so it's the best product for the hot saturation of polyethylene ski bases with the thermo-box or the thermo-cover. Use hot application with the waxing iron at 120°/130°C.



PRODUCTS

RACING
BASE PARAFFIN

XSOFT BASE

CODE: MW0873 - 250 gr
CODE: MW0878 - 1 kg

USE

SNOW TEMP: - 2° / 0° C
APPLICATION: 110° / 120 °C

Solid base paraffin for any type of snow with temperature from -2°C to 0°C. It's an excellent product for the saturation and the protection of racing ski bases. It has a melting point of 48°C so it's a very good product for the hot saturation of polyethylene ski bases with the thermo-box or the thermo-cover. Use hot application with the waxing iron at 110°/120°C.



PRODUCTS

BP10
HYDRO CARBON PARAFFIN

BP10 VIOLET

CODE: MW0300 - 100 gr
CODE: MW0310 - 250 gr
CODE: MW0320 - 1 kg

USE

AIR TEMP: -19°/-9° C
HUMIDITY: < 50 %
APPLICATION: 140°/150 °C

Solid paraffin for training use and leisure. Use for all type of snow, not wet, with temperature from -19°C to -9°C. Performing use with air humidity < 50%. Use hot application with the waxing iron at 140°/150°C.



PRODUCTS

BP10
HYDRO CARBON PARAFFIN

BP10 RED

CODE: MW0301 - 100 gr
CODE: MW0311 - 250 gr
CODE: MW0321 - 1 kg

USE

AIR TEMP: -9°/-3° C
HUMIDITY: < 50 %
APPLICATION: 130°/140 °C

Solid paraffin for training use and leisure. Use for all type of snow, not wet, with temperature from -9°C to -3°C. It's an excellent product for the protection of ski bases and it can be used as universal racing and training base. Performing use with air humidity < 50%. Use hot application with the waxing iron at 130°/140°C.



PRODUCTS

BP10
HYDRO CARBON PARAFFIN

BP10 YELLOW

CODE: MW0302 - 100 gr
CODE: MW0312 - 250 gr
CODE: MW0322 - 1 kg

USE

AIR TEMP: -3°/+9° C
HUMIDITY: < 50 %
APPLICATION: 120°/130 °C

Solid paraffin for training use and leisure. Use for all type of snow, not wet, with temperature from -3°C to +9°C. Performing use with air humidity < 50%. Use hot application with the waxing iron at 120°/130°C.



PRODUCTS

LIQUID SKIWAX
HYDROCARBON PARAFFIN

BP1 COLD

CODE: MW0830 - 75 ml
CODE: MW0833 - 150 ml
CODE: MW0836 - 0,5 lt

USE

SNOW TEMP: -22°/-8° C
HUMIDITY: < 40%

BP1 MED

CODE: MW0831 - 75 ml
CODE: MW0834 - 150 ml
CODE: MW0837 - 0,5 lt

SNOW TEMP: -9°/-2° C
HUMIDITY: < 40%

BP1 HOT

CODE: MW0832 - 75 ml
CODE: MW0835 - 150 ml
CODE: MW0838 - 0,5 lt

SNOW TEMP: -3°/0° C
HUMIDITY: < 40%

Liquid paraffin for training use and leisure.

BP1 COLD Use for any type of snow from -22°C to -8°C. Racing use with air humidity < 40%.
BP1 MED Use for any type of snow from -9°C to -2°C. Racing use with air humidity < 40%. It can be used as universal training product.
BP1 HOT Use for any type of snow from -3°C to 0°C. Racing use with air humidity < 40%.

Use cold application with manual cork and manual brush.



PRODUCTS

CLEANER

CLEAN

CODE: MW0755 - 150 ml - SPRAY
CODE: MW0756 - 0,5 lt - LIQUID
CODE: MW0757 - 1 lt - LIQUID
CODE: MW0758 - 4,9 lt - LIQUID

Liquid cleaner to remove residuals of any type of paraffin (fluorinated paraffin included) and the dirt collected during activity.



SKI WAX ECO- FLUOR WAX*

Respect for norms and the health of human beings and environmental have always been, and will continue to be, our priorities. In order to get our results in research and development of fluorinated products, we respect the most advanced rules in term of sustainable development.

We have nevertheless invested the maximum of our energy and our efforts in finding new solutions and new products.

Now we are able to guarantee, in light of the new regulations, the utmost respect for anti-pollution and environmental protection standards together with the high standards skiwaxes to which our customers have been accustomed to for years.



XLS
EXTRA LONG LASTING SPEED

PRODUCTS

XLS 4.0
CODE: MW0894N
SIZE : 50 ml

USE

SNOW TEMP:
HUMIDITY: 0° / - 6° C
50 / 100%

Liquid accelerator for competition. Use with any type of artificial snow and natural snow from new moist to old transformed, icy and wet with temperatures from 0 ° to -6 °C and relative air humidity over 50%.



XLS
EXTRA LONG LASTING SPEED

PRODUCTS

XLS 6.0
CODE: MW0896N
SIZE : 50 ml

USE

SNOW TEMP:
HUMIDITY: - 6° / - 12° C
50 / 100%

Liquid accelerator for competition. Use with any type of artificial snow and natural snow from powder to transformed compact and icy with temperatures from -6° to -12°C and relative air humidity over 50%.



FP4
PERFLUORINATED POWDER WAX

PRODUCTS

FP4 COLD
CODE: MW0840N
SIZE : 30 gr

USE

SNOW TEMP:
HUMIDITY:
APPLICATION: - 22° / - 8° C
30 / 70%
160 °C

Fluorocarbon powder wax for racing. Use for all type of snow with temperature from -22°C to -8°C. Air humidity from 30% to 70%. Recommended hot application with waxing iron at 160°C.



FP4
PERFLUORINATED POWDER WAX

PRODUCTS

FP4 SUPERMED
CODE: MW0843N
SIZE : 30 gr

USE

SNOW TEMP:
HUMIDITY:
APPLICATION: - 16° / - 2° C
40 / 80%
160 °C

Fluorocarbon powder wax for racing. Use for all type of snow with temperature from -16°C to -2°C. Air humidity from 40% to 80%. Good also on icy hard snow in springtime condition. Recommended hot application with waxing iron at 160°C.



FP4
PERFLUORINATED POWDER WAX

PRODUCTS

FP4 MED
CODE: MW0841N
SIZE : 30 gr

USE

SNOW TEMP:
HUMIDITY:
APPLICATION: - 9° / - 2° C
60 / 100%
160 °C

Fluorocarbon powder wax for racing. Use for all type of snow with temperature from -9°C to -2°C. Air humidity from 60% to 100%. Recommended hot application with waxing iron at 160°C.



FP4
PERFLUORINATED POWDER WAX

PRODUCTS

FP4 HOT
CODE: MW0842N
SIZE : 30 gr

USE

SNOW TEMP:
HUMIDITY:
APPLICATION: - 3° / 0° C
60 / 100%
160 °C

Fluorocarbon powder wax for racing. Use for all type of snow with temperature from -3°C to 0°C. Air humidity from 60% to 100%. Recommended hot application with waxing iron at 160°C.



FP4
PERFLUORINATED LIQUID WAX

PRODUCTS

FP4 COLD
CODE: MW0850N
SIZE : 50 ml

USE

SNOW TEMP:
HUMIDITY: - 22° / - 8° C
30 / 70%

Fluorocarbon liquid wax for racing. Use for all type of snow with temperature from -22°C to -8°C. Air humidity from 30% to 70%. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with merino wool rollers.



FP4
PERFLUORINATED LIQUID WAX

PRODUCTS

FP4 SUPERMED
CODE: MW0853N
SIZE : 50 ml

USE

SNOW TEMP:
HUMIDITY: - 16° / - 2° C
40 / 80%

Fluorocarbon liquid wax for racing. Use for all type of snow with temperature from -16°C to -2°C. Air humidity from 40% to 80%. Good also on icy hard snow in springtime condition. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with merino wool rollers.



FP4
PERFLUORINATED LIQUID WAX

PRODUCTS

FP4 MED
CODE: MW0851N
SIZE : 50 ml

USE

SNOW TEMP:
HUMIDITY: - 9° / - 2° C
60 / 100%

Fluorocarbon liquid wax for racing. Use for all type of snow with temperature from -9°C to -2°C. Air humidity from 60% to 100%. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with merino wool rollers.



FP4
PERFLUORINATED LIQUID WAX

PRODUCTS

FP4 HOT
CODE: MW0852N
SIZE : 50 ml

USE



SNOW TEMP:
HUMIDITY: - 3° / 0° C
60 / 100%

Fluorocarbon liquid wax for racing. Use for all type of snow with temperature from -3°C to 0°C. Air humidity from 60% to 100%. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with merino wool rollers.

	<div>FP4 PERFLUORINATED SOLID WAX</div>	PRODUCTS	<div>FP4 COLD CODE: MW0860N SIZE : 20 gr</div>	USE	SNOW TEMP: - 22°/ - 8° C HUMIDITY: 30 / 70%
<p>Fluorocarbon solid wax for racing. Use for all type of snow with temperature from -22°C to -8°C. Air humidity from 30% to 70%. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with polyester and merino wool rollers. Also hot application with waxing iron at 160°C is suitable, if the products is spread in a thick layer.</p>					
	<div>FP4 PERFLUORINATED SOLID WAX</div>	PRODUCTS	<div>FP4 SUPERMED CODE: MW0863N SIZE : 20 gr</div>	USE	SNOW TEMP: - 16°/ - 2° C HUMIDITY: 40 / 80%
<p>Fluorocarbon solid wax for racing. Use for all type of snow with temperature from -16°C to -2°C. Air humidity from 40% to 80%. Good also on icy hard snow in springtime condition. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with polyester and merino wool rollers. Also hot application with waxing iron at 160°C is suitable, if the products is spread in a thick layer.</p>					
	<div>FP4 PERFLUORINATED SOLID WAX</div>	PRODUCTS	<div>FP4 MED CODE: MW0861N SIZE : 20 gr</div>	USE	SNOW TEMP: - 9°/ - 2° C HUMIDITY: 60 / 100%
<p>Fluorocarbon solid wax for racing. Use for all type of snow with temperature from -9°C to -2°C. Air humidity from 60% to 100%. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with polyester and merino wool rollers. Also hot application with waxing iron at 160°C is suitable, if the products is spread in a thick layer.</p>					
	<div>FP4 PERFLUORINATED SOLID WAX</div>	PRODUCTS	<div>FP4 HOT CODE: MW0862N SIZE : 20 gr</div>	USE	SNOW TEMP: - 3°/ 0° C HUMIDITY: 60 / 100%
<p>Fluorocarbon solid wax for racing. Use for all type of snow with temperature from -3°C to 0°C. Air humidity from 60% to 100%. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with polyester and merino wool rollers. Also hot application with waxing iron at 160°C is suitable, if the products is spread in a thick layer.</p>					

	<div>FLASH FLUORINATED LIQUID POLYMER HIGH SPEED ACCELERATOR</div>	PRODUCTS	<div>YELLOW FLASH CODE: MW0662N SIZE : 50 ml</div>	USE	SNOW TEMP: - 3°/ 0° C HUMIDITY: 60 / 100%
<p>Fluorinated liquid polymer for racing. Use for wet, water-ice and icy snow from -3° to 0°C with completely transformed snow crystal with medium and big grain. It works great from hard coarse snow to wet snow and in all intermediate conditions while step by step the sun melts the snow. The Yellow Flash is also the best in raining conditions but only if it's raining over completely transformed snow as above mentioned. If it's snowing with new big moist and wet flakes together with raining on new moist and polish snow, Yellow Flash does not work. It needs at least one day of snow transformation then it works greatly. Air humidity from 60% to 100%. Excellent as accelerant and corrector at the start on fluorocarbon powder waxes or on fluorinated paraffins. Recommended cold application with the felt cap-applicator.</p>					

	<div>HP3 HIGH FLUORINATED PARAFFIN</div>	PRODUCTS	<div>HP3 GREEN POWDER CODE: MW0900N SIZE : 50 gr</div>	USE	SNOW TEMP: - 30°/ - 10° C HUMIDITY: 50 / 90% APPLICATION: 160 °C 
<p>High fluoro powder paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for snow from -30°C to -10°C. Air humidity from 50% to 90%. This paraffin can be used alone as above mentioned or as an hardener for the high fluorinated paraffins HP3 VIOLET and HP3 RED in case of abrasive new or conserved snow or mixed with artificial snow. Use hot application with the waxing iron at 160°C.</p>					
	<div>HP3 HIGH FLUORINATED PARAFFIN</div>	PRODUCTS	<div>HP3 BLUE MOLY COLD ADDITIVE CODE: MW0901MN - 50 g CODE: MW0911MN - 250 gr CODE: MW0921MN - 1 kg</div>	USE	SNOW TEMP: - 25°/ - 10° C HUMIDITY: 50 / 90% APPLICATION: 150° / 160 °C 
<p>High fluoro solid paraffin with moly for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for old abrasive dry snow with temperature from -25°C to -10°C. Air humidity from 50% to 90%. Excellent during a long period without snow falling and with dirty snow. This paraffin can be also used as a moly hardener for HP3 VIOLET and HP3 RED in case of old, abrasive, windy and dirty snow, both natural and artificial. Use hot application with the waxing iron at 150°/160°C.</p>					
	<div>HP3 HIGH FLUORINATED PARAFFIN</div>	PRODUCTS	<div>HP3 VIOLET CODE: MW0902N - 50 gr CODE: MW0912N - 250 gr CODE: MW0922N - 1 kg</div>	USE	SNOW TEMP: - 12°/ - 6° C HUMIDITY: 60 / 100% APPLICATION: 140° / 150 °C 
<p>High fluoro solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for all type of snow with temperature from -12°C to -6°C. Air humidity from 60% to 100%. In case of new or conserved abrasive snow and artificial snow, mix HP3 VIOLET with HP3 GREEN or LP2 GREEN if the humidity is lower. Use hot application with the waxing iron at 140°/150°C.</p>					
	<div>HP3 HIGH FLUORINATED PARAFFIN</div>	PRODUCTS	<div>HP3 RED CODE: MW0903N - 50 gr CODE: MW0913N - 250 gr CODE: MW0923N - 1 kg</div>	USE	SNOW TEMP: - 7°/ - 3° C HUMIDITY: 60 / 100% APPLICATION: 130° / 140 °C 
<p>High fluoro solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for all type of snow with temperature from -7°C to -3°C. Air humidity from 60% to 100%. In case of new or conserved abrasive snow, artificial snow and springtime icy snow, mix HP3 RED with HP3 GREEN or LP2 GREEN if the humidity is lower. Use hot application with the waxing iron at 130°/140°C.</p>					




PRODUCTS

HP3
HIGH FLUORINATED PARAFFIN



HP3 YELLOW 1

CODE: MW0904N - 50 gr
CODE: MW0914N - 250 gr
CODE: MW0924N - 1 kg

USE

SNOW TEMP: -4°/ 0° C
HUMIDITY: 60 / 100%
APPLICATION: 110° / 120 °C 

High fluoro solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for new moist not wet snow with temperature from -4°C to 0°C. Air humidity from 60% to 100%. Is the only choice with polish and sticky snow. Use hot application with the waxing iron at 110°/120°C.




PRODUCTS

HP3
HIGH FLUORINATED PARAFFIN



HP3 ORANGE 2

CODE: MW0907N - 50 gr
CODE: MW0917N - 250 gr
CODE: MW0927N - 1 kg

USE

SNOW TEMP: -3°/ 0° C
HUMIDITY: 60 / 100%
APPLICATION: 100° / 110 °C 

High fluoro solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for clean wet snow, with temperature from -3°C to 0°C. and rainy conditions. Air humidity from 60% to 100%. Use hot application with the waxing iron at 100°/110°C.




PRODUCTS

HP3
HIGH FLUORINATED PARAFFIN



HP3 YELLOW 2

CODE: MW0905N - 50 gr
CODE: MW0915N - 250 gr
CODE: MW0925N - 1 kg

USE

SNOW TEMP: -5°/- 1° C
HUMIDITY: 60 / 100%
APPLICATION: 120° / 130 °C 

High fluoro solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for transformed snow, not wet and springtime icy, with temperature from -5°C to -1°C. Air humidity from 60% to 100%. Use hot application with the waxing iron at 120°/130°C.




PRODUCTS

HP3
HIGH FLUORINATED PARAFFIN



**HP3 ORANGE 2 MOLY
HOT ADDITIVE**

CODE: MW0907MN - 50 gr
CODE: MW0917MN - 250 gr
CODE: MW0927MN - 1 kg

USE

SNOW TEMP: -3°/ 0° C
HUMIDITY: 60 / 100%
APPLICATION: 100° / 110 °C 

High fluoro solid paraffin with moly for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for wet snow and dirty snow from -3°C to 0°C. and rainy conditions. Air humidity from 60% to 100%. This paraffin can be used as a moly additive for HP3 RED, YELLOW 2, and ORANGE 1 in case of old dirty snow, both natural and artificial. Use hot application with the waxing iron at 100°/110°C.




PRODUCTS

HP3
HIGH FLUORINATED PARAFFIN


HP3 ORANGE 1

CODE: MW0906N - 50 gr
CODE: MW0916N - 250 gr
CODE: MW0926N - 1 kg

USE

SNOW TEMP: -4°/ 0° C
HUMIDITY: 60 / 100%
APPLICATION: 120° / 130 °C 

High fluoro solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for springtime icy and grainy snow, but little wet, with temperature from -4°C to 0°C. Air humidity from 60% to 100%. Use hot application with the waxing iron at 120°/130°C.




PRODUCTS

LP2
MEDIUM FLUORINATED PARAFFIN

LP2 GREEN POWDER

CODE: MW0950N
SIZE : 100 gr

USE

SNOW TEMP: -30°/ - 10° C
HUMIDITY: 20 / 60%
APPLICATION: 160 °C 

Fluorinated powder paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for fine-abrasive snow from -30°C to -10°C. Air humidity from 20% to 60%. This paraffin can be also used as an hardener for paraffins LP2 VIOLET and LP2 RED or HP3 VIOLET and HP3 RED in case of new or conserved abrasive snow and mixed with artificial snow. Use hot application with the waxing iron at 160°C.



PRODUCTS

LP2
MEDIUM FLUORINATED PARAFFIN

LP2 BLUE

USE

CODE: MW0951N - 100 gr
CODE: MW0961N - 250 gr
CODE: MW0971N - 1 kg

SNOW TEMP: - 25° / - 10° C
HUMIDITY: 20 / 60%
APPLICATION: 150° / 160 °C 

Fluorinated solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for old transformed snow, with temperature from -25°C to -10°C. Air humidity from 20% to 60%. Excellent during a long period without snow falling. Use hot application with the waxing iron at 150°/160°C.



PRODUCTS

LP2
MEDIUM FLUORINATED PARAFFIN

LP2 YELLOW

USE

CODE: MW0954N - 100 gr
CODE: MW0964N - 250 gr
CODE: MW0974N - 1 kg

SNOW TEMP: - 5° / - 1° C
HUMIDITY: 30 / 60%
APPLICATION: 110° / 120 °C 

Fluorinated solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for all type of snow, not wet, with temperature from -5°C to -1°C. Air humidity from 30% to 60%. Use hot application with the waxing iron at 110°/120°C.




PRODUCTS

LP2
MEDIUM FLUORINATED PARAFFIN

LP2 VIOLET

USE

CODE: MW0952N - 100 gr
CODE: MW0962N - 250 gr
CODE: MW0972N - 1 kg

SNOW TEMP: - 12° / - 6° C
HUMIDITY: 20 / 60%
APPLICATION: 140° / 150 °C 

Fluorinated solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for all type of snow with temperature from -12°C to -6°C. Air humidity from 20% to 60%. In case of new or conserved abrasive snow and artificial snow, mix LP2 VIOLET with LP2 GREEN. Use hot application with the waxing iron at 140°/150°C.




PRODUCTS

LP2
MEDIUM FLUORINATED PARAFFIN

LP2 ORANGE

USE

CODE: MW0955N - 100 gr
CODE: MW0965N - 250 gr
CODE: MW0975N - 1 kg

SNOW TEMP: - 4° / 0° C
HUMIDITY: 30 / 60%
APPLICATION: 100° / 110 °C 

Fluorinated solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for all type of wet snow with temperature from -4°C to 0°C and rainy conditions. Air humidity from 30% to 60%. Use hot application with the waxing iron at 100°/110°C.

FLUORCLEAN LINE




PRODUCTS

LP2
MEDIUM FLUORINATED PARAFFIN

LP2 RED

USE

CODE: MW0953N - 100 gr
CODE: MW0963N - 250 gr
CODE: MW0973N - 1 kg

SNOW TEMP: - 7° / - 3° C
HUMIDITY: 30 / 60%
APPLICATION: 130° / 140 °C 

Fluorinated solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for all type of snow with temperature from -7°C to -3°C. Air humidity from 30% to 60%. In case of new or conserved abrasive snow, artificial snow and springtime icy snow, mix LP2 RED with LP2 GREEN. Use hot application with the waxing iron at 130°/140°C.



PRODUCTS

CLEANER

FLUORCLEAN

CODE: MW0750N - 150 ml -SPRAY
CODE: MW0751N - 0,5 lt - LIQUID
CODE: MW0752N - 1 lt - LIQUID

Liquid cleaner to remove residuals of any type of perfluorinated wax and the dirt collected during activity.



LP15
LOW FLUORINATED PARAFFIN

PRODUCTS

LP15 VIOLET

CODE: MW0400N - 100 gr
CODE: MW0410N - 250 gr
CODE: MW0420N - 1 kg

USE

AIR TEMP: -19°/ -9° C
HUMIDITY: > 50 %
APPLICATION: 140° / 150 °C

Low fluoro solid paraffin for training use and leisure. Use for all type of snow, with temperature from -19°C to -9°C. Performancing use with air humidity > 50%. Use hot application with the waxing iron at 140°/150°C.



LP15
LOW FLUORINATED PARAFFIN

PRODUCTS

LP15 RED

CODE: MW0401N - 100 gr
CODE: MW0411N - 250 gr
CODE: MW0421N - 1 kg

USE

AIR TEMP: -9°/ -3° C
HUMIDITY: > 50 %
APPLICATION: 130° / 140 °C

Low fluoro solid paraffin for training use and leisure. Use for all type of snow, not wet, with temperature from -9°C to -3°C. It's an excellent product for the protection of ski bases and it can be used as universal racing and training base. Performancing use with air humidity > 50%. Use hot application with the waxing iron at 130°/140°C.



LP15
LOW FLUORINATED PARAFFIN

PRODUCTS

LP15 YELLOW

CODE: MW0402N - 100 gr
CODE: MW0412N - 250 gr
CODE: MW0422N - 1 kg

USE

AIR TEMP: -3°/ +9° C
HUMIDITY: > 50 %
APPLICATION: 120° / 130 °C

Low fluoro solid paraffin for training use and leisure. Use for all type of snow, not wet, with temperature from -3°C to +9°C. Performancing use with air humidity > 50%. Use hot application with the waxing iron at 120°/130°C.



LIQUID SKIWAX
HIGH FLUORINATED PARAFFIN

PRODUCTS

HP3 COLD

CODE: MW0930N - 75 ml
CODE: MW0940N - 0,5 lt

HP3 MED

CODE: MW0931N - 75 ml
CODE: MW0941N - 0,5 lt

HP3 HOT

CODE: MW0932N - 75 ml
CODE: MW0942N - 0,5 lt

USE

SNOW TEMP: -22°/ -8° C
HUMIDITY: 60/100%

SNOW TEMP: -9°/ -2° C
HUMIDITY: 60/100%

SNOW TEMP: -3°/ 0° C
HUMIDITY: 60/100%

High fluorinated liquid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4.

HP3 COLD Use for any type of snow from -22°C to -8°C. Air humidity from 60% to 100%.
HP3 MED Use for any type of snow from -9°C to -2°C. Air humidity from 60% to 100%.
HP3 HOT Use for any type of snow from -3°C to 0°C. Air humidity from 60% to 100%.

Use cold application with manual cork and manual brush.



LIQUID SKIWAX
FLUORINATED PARAFFIN

PRODUCTS

LP2 COLD

CODE: MW0980N - 75 ml
CODE: MW0983N - 150 ml
CODE: MW0986N - 0,5 lt

LP2 MED

CODE: MW0981N - 75 ml
CODE: MW0984N - 150 ml
CODE: MW0987N - 0,5 lt

LP2 HOT

CODE: MW0982N - 75 ml
CODE: MW0985N - 150 ml
CODE: MW0988N - 0,5 lt

USE

SNOW TEMP: -22°/ -8° C
HUMIDITY: 30/60%

SNOW TEMP: -9°/ -2° C
HUMIDITY: 30/60%

SNOW TEMP: -3°/ -0° C
HUMIDITY: 30/60%

Fluorinated liquid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4.

LP2 COLD Use for any type of snow from -22°C to -8°C. Air humidity from 30% to 60%.
LP2 MED Use for any type of snow from -9°C to -2°C. Air humidity from 30% to 60%.
LP2 HOT Use for any type of snow from -3°C to 0°C. Air humidity from 30% to 60%.

Use cold application with manual cork and manual brush.



SKI WAX KIT LINE

ALPINE/NORDIC/SNOWBOARD



PRODUCTS

LIQUID SKIWAX
GLIDING LIQUID KIT

BP1 KIT 3 x 75 ml

CODE: MW0839

Liquid paraffin for training use and leisure.

- BP1 COLD Use for any type of snow from -22°C to -8°C. Racing use with air humidity < 40%..
- BP1 MED Use for any type of snow from -9°C to -2°C. Racing use with air humidity < 40%. It can be used as universal training product.
- BP1 HOT Use for any type of snow from -3°C to 0°C. Racing use with air humidity < 40%.

Use cold application with manual cork and manual brush.



BP1 COLD KIT

CODE: MW0201

SNOW TEMP: -22°/-8° C
HUMIDITY: < 40%

- Kit with MT0111 (cork/nylon brush)



BP1 HOT KIT

CODE: MW0203

SNOW TEMP: -3°/ 0° C
HUMIDITY: < 40%

- Kit with MT0111 (cork/nylon brush)



BP1 MED KIT

CODE: MW0202

SNOW TEMP: -9°/-2° C
HUMIDITY: < 40%

- Kit with MT0111 (cork/nylon brush)



UNIVERSAL FLUORO

CODE: MW0200N

- Kit with MT0111 (cork/nylon brush)



SKIN & GLIDE TOP KIT

CODE: MW0206

Kit with:
MW0830 (BP1 Cold 75 ml) Snow Temp. -22°C to -8°C. Air humidity < 40%.
MW0831 (BP1 Med 75 ml) Snow Temp. -9°C to -2°C. Air humidity < 40%.
MW0832 (BP1 Hot 75 ml) Snow Temp. -3°C to 0°C. Air humidity < 40%.
MW0755 (Clean 150 ml)
MT0900 (Fiberlene tape)
MT0111 (cork/nylon brush)

High quality universal liquid paraffin for training, sporting use and leisure. Thanks to the different wax versions included in this kit, it can be used for all type of snow. The product has a felt cap applicator to allow a quick waxing "last minute" operation with great gliding and long lasting, on ski sole and even on skin skis. Otherwise the useful cork/nylon brush let allows to have a professional gliding result.



ALPINE/NORDIC/SNOWBOARD

SKI ALP WAX LINE



PRODUCTS

UNIVERSAL TOUR TOURING SKIN & BASE WAX DISPLAY BOX LIQUID

CODE: MW0747
SIZE: 12 pz x 75 ml

USE

SNOW TEMP: -15°/ 0° C

High quality universal liquid paraffin for sporting use on ski-alp skins and ski bases with every kind of snow. The product has a felt cap applicator that allows quick cold “last minute” waxing with great gliding and long lasting.



PRODUCTS

UNIVERSAL TOUR RACING SKIN WAX BLUE BOOST RUB-ON

CODE: MW0748N
SIZE: 20 gr

USE

SNOW TEMP: -20°/ -5° C
APPLICATION: 150° C

Fluorocarbon special solid mix for waxing ski-alp racing skins. Use for every cold snow from -20°C to -5°C. Recommended cold application by rubbing over the skin. To obtain even higher durability some quick passages with waxing iron at 150° C can be made (exclusively on pure mohair skins).



PRODUCTS

UNIVERSAL TOUR RACING SKIN WAX RED BOOST RUB-ON

CODE: MW0749N
SIZE: 20 gr

USE

SNOW TEMP: -5°/ 0° C
APPLICATION: 150° C

Fluorocarbon special solid mix for waxing ski-alp racing skins. Use for every warm and wet snow from -5°C to 0°C. Recommended cold application by rubbing over the skin. To obtain even higher durability some quick passages with waxing iron at 150° C can be made (exclusively on pure mohair skins).



PRODUCTS

UNIVERSAL TOUR TOURING SKIN & BASE WAX UNIVERSAL SKIN SPRAY

CODE: MW0745
SIZE: 250 ml

USE

SNOW TEMP: -15°/ 0° C

Universal spray polymer for skin protection from icing and dirt, improving gliding properties. For all snow conditions.

ALPINE/NORDIC/SNOWBOARD

SKI WAX

SUPER GLIDE WAX LINE

FLUOR-FREE



NEW

PRODUCTS

UNIVERSAL FLUOR-FREE SUPER GLIDE WAX DISPLAY BOX LIQUID

CODE: MW0720N
SIZE: 12 pz x 75 ml

USE

SNOW TEMP: -15°/ 0° C

High quality universal liquid paraffin for sporting use and leisure. Use for all type of snow. The product has a felt cap applicator to allow a quick waxing "last minute" operation with great gliding and long lasting.



NEW

PRODUCTS

UNIVERSAL FLUOR-FREE SUPER GLIDE WAX DISPLAY BOX CREAM

CODE: MW0725N
SIZE: 12 pz x 75 ml

USE

SNOW TEMP: -15°/ 0° C

High quality universal low fluoro glide wax. Ideal for sporting and leisure in all conditions. Quick application with the sponge-cap included by rubbing and pressing. Then for best results polish the base with a horsehair or nylon brush.



NEW

PRODUCTS

UNIVERSAL FLUOR-FREE SUPER GLIDE WAX CREAM

CODE: MW0727N
SIZE: 250 ml

USE

SNOW TEMP: -15°/ 0° C

High quality universal low fluoro glide wax. Ideal for sporting and leisure in all conditions. Quick application with the sponge included by rubbing and pressing. Then for best results polish the base with a horsehair or nylon brush.



NEW

PRODUCTS

UNIVERSAL SUPER GLIDE WAX SOLID

CODE: MW0728N
SIZE: 100 gr

USE

SNOW TEMP: -15°/0° C
APPLICATION: 130° / 140° C

Universal all temperature high quality paraffin glide wax for sporting and leisure in all conditions. Use hot application with the waxing iron at 130°/140°C. Also ideal for rub-on and go application!

ALPINE/NORDIC/SNOWBOARD

SKI WAX

UNI VER SAL WAX LINE





UNIVERSAL SOLID
UNIVERSAL WAX LINE

Universal solid paraffin for sporting use and leisure. Use for all type of snow, not moist and wet, with temperature from -15°C to -5°C. It's a product especially suitable for rentals and laboratories. Use hot application with the waxing iron at 130°/140°C or with professional waxing machines.

PRODUCTS

RED

CODE: MW0700 - 100 gr
CODE: MW0702 - 1 kg

USE

SNOW TEMP: - 15°/ - 5° C
APPLICATION: 130° / 140 °C



UNIVERSAL SOLID
UNIVERSAL WAX LINE

Universal solid paraffin for sporting use and leisure. Use for all type of moist and wet snow, with temperature from -5°C to 0°C. It's a product especially suitable for rentals and laboratories. Use hot application with the waxing iron at 110°/120°C or with professional waxing machines.

PRODUCTS

YELLOW

CODE: MW0701 - 100 gr
CODE: MW0703 - 1 kg

USE

SNOW TEMP: - 5°/ 0° C
APPLICATION: 110° / 120 °C



UNIVERSAL SOLID
FLUORINATED
UNIVERSAL WAX LINE

Universal fluorinated solid paraffin for sporting use and leisure. Use for all type of snow, not moist and wet, with temperature from -15°C to -5°C. It's a product especially suitable for rentals and laboratories. Use hot application with the waxing iron at 130°/140°C or with professional waxing machines.

PRODUCTS

RED FLUORO

CODE: MW0705N - 100 gr
CODE: MW0707N - 1 kg

USE

SNOW TEMP: - 15°/ - 5° C
APPLICATION: 130° / 140 °C



UNIVERSAL SOLID
FLUORINATED
UNIVERSAL WAX LINE

Universal fluorinated solid paraffin for sporting use and leisure. Use for all type of moist and wet snow, with temperature from -5°C to 0°C. It's a product especially suitable for rentals and laboratories. Use hot application with the waxing iron at 110°/120°C or with professional waxing machines.

PRODUCTS

YELLOW FLUORO

CODE: MW0706N - 100 gr
CODE: MW0708N - 1 kg

USE

SNOW TEMP: - 5°/ 0° C
APPLICATION: 110° / 120 °C



PRODUCTS

UNIVERSAL BACKSHOP
GRANULAR AND SOLID WAX
COLD

CODE: MW0709 - 1 Kg
CODE: MW0710 - 5 kg
CODE: MW0712 - 20 kg

SNOW TEMP: - 15°/ -5° C

Universal solid and granular paraffin for all type of winter snow, not moist and wet, from temperature -15°C to -5°C.It's a product especially suitable for rentals and laboratories. Use hot application with professional waxing machines.

PRODUCTS

UNIVERSAL BACKSHOP
GRANULAR AND SOLID WAX
HOT

CODE: MW0714 - 1 Kg
CODE: MW0711 - 5 kg
CODE: MW0713 - 20 kg

SNOW TEMP: - 5°/ 0° C

Universal solid and granular paraffin for all type of moist and wet snow from temperature -5°C to 0°C. It's a product especially suitable for rentals and laboratories. Use hot application with professional waxing machines.



UNIVERSAL LIQUID
UNIVERSAL WAX LINE

Universal liquid paraffin for sporting use and leisure. Use for all type of snow. It's a product especially suitable for rentals and laboratories. Use cold application with brush and manual cork.

PRODUCTS

UNIVERSAL LIQUID

CODE: MW0715 - 1 lt
CODE: MW0716 - 4.9 lt



ANTI ICE
UNIVERSAL WAX LINE

Special silicone spray made to prevent the grip waxes from freezing or to avoid ice formation on the kick zone of no-wax ski. It's also useful to avoid ice formation on the serigraphy and the side of any type of ski. Cold application.

PRODUCTS

ANTI ICE

CODE: MW0732
SIZE: 150 ml



SKI WAX

NORDIC


GRIP WAX LINE

	PRODUCTS	GRIPWAX BASE ORANGE S10 CODE: MWOS10 SIZE: 45 gr
	USE	ALL AIR TEMP - STICKBASE Stick base to be used always as first layer of solid waxes with fine falling snow and new aggressive snow little transformed or mixed with artificial snow. It works with every air temperature.
	PRODUCTS	GRIPWAX GREEN S11 CODE: MWOS11 SIZE: 45 gr
	USE	AIR TEMP: -16°/-8° C Stick wax to be used with fine falling snow and new aggressive snow little transformed or mixed with artificial snow. It works with air temperature from -16°C to -8°C.
	PRODUCTS	GRIPWAX DARK BLUE S12 CODE: MWOS12 SIZE: 45 gr
	USE	AIR TEMP: -10°/-6° C Stick wax to be used with fine falling snow and new snow little transformed or mixed with artificial snow. It works with air temperature from -10°C to -6°C.
	PRODUCTS	GRIPWAX LIGHT BLUE S13 CODE: MWOS13 SIZE: 45 gr
	USE	AIR TEMP: -5°/-3° C Stick wax to be used with fine falling snow and new snow little transformed or mixed with artificial snow. It works with air temperature from -5°C to -3°C.
	PRODUCTS	GRIPWAX DARK VIOLET S14 CODE: MWOS14 SIZE: 45 gr
	USE	AIR TEMP: -3°/-1° C Stick wax to be used with fine falling snow and new snow little transformed or mixed with artificial snow. It works with air temperature from -3°C to -1°C.
	PRODUCTS	GRIPWAX LIGHT VIOLET S15 CODE: MWOS15 SIZE: 45 gr
	USE	AIR TEMP: -2°/+1° C Stick wax to be used with fine falling snow and new snow little transformed or mixed with artificial snow. It works with air temperature from -2°C to +1°C.
	PRODUCTS	GRIPWAX RED S16 CODE: MWOS16 SIZE: 45 gr
	USE	AIR TEMP: 0°/+4° C Stick wax to be used with falling snow and new snow or mixed with artificial snow. It works with air temperature from 0°C to +4°C.

	PRODUCTS	GRIPWAX BASE GREEN K10 CODE: MWOK10 SIZE: 60 gr
	USE	AIR TEMP: -7°/-1° C Klister to be used with transformed snow with big crystals and with icy coarse snow or mixed with artificial snow. It works with air temperature from -7°C to -1°C. Moreover it must always be used as first layer (base klister) for all klister wax with any temperature.
	PRODUCTS	GRIPWAX BLUE K11 CODE: MWOK11 SIZE: 60 gr
	USE	AIR TEMP: -4°/0° C Klister to be used with transformed snow with big crystals and with icy coarse snow or mixed with artificial snow. It works with air temperature from -4°C to 0°C.
	PRODUCTS	GRIPWAX VIOLET K12 CODE: MWOK12 SIZE: 60 gr
	USE	AIR TEMP: -3°/+3° C Klister to be used with transformed snow with big crystals and with icy coarse snow or mixed with artificial snow. It works with air temperature from -3°C to +3°C.
	PRODUCTS	GRIPWAX RED K13 CODE: MWOK13 SIZE: 60 gr
	USE	AIR TEMP: -1°/+4° C Klister to be used with transformed snow with big crystals and with icy coarse and wet snow or mixed with artificial snow. It works with air temperature from -1°C to +4°C.
	PRODUCTS	GRIPWAX BASE SILVER K14 CODE: MWOK14 SIZE: 60 gr
	USE	AIR TEMP: 0°/+5° C Silver Klister to be used with transformed snow or mixed with artificial snow with big and medium crystals. It works with air temperature from 0°C to +5°C. Very good to reduce friction and speed up sliding on very abrasive snow.
	PRODUCTS	GRIPWAX UNIVERSAL K15 CODE: MWOK15 SIZE: 60 gr
	USE	AIR TEMP: -5°/+5° C Universal Klister to be used with transformed snow or mixed with artificial snow with big crystals transforming from wet to icy. It works with air temperature from -5°C to +5°C and it avoids ice formation.
	PRODUCTS	GRIPWAX KIT CODE: MWOSK050 1pc: MWOS13 1pc: MWOS14 1pc: MWOS15 1pc: MWOK15 1pc: MT0113 1pc: MT0510

A close-up photograph of a person's hands operating a lathe. The person is wearing a plaid shirt and is using a tool to shape a piece of wood that is mounted on the lathe's lathe. The wood is being turned into a smooth, cylindrical shape. The background is slightly blurred, showing a workshop environment with various tools and equipment. The text "TOOLS AND ACCESSORIES" is overlaid on the right side of the image in a large, bold, orange font.

TOOLS AND AC CE SOR IES




PRODUCTS
**MANUAL
BRUSH**
HARD HORSEHAIR
CODE: MT0101
SOFT HORSEHAIR
CODE: MT0104

To be used for deep brushing of any type of paraffin and perfluorinated wax.
To be used for fine brushing of any type of paraffin and perfluorinated wax.




PRODUCTS
**MANUAL
BRUSH**
HARD NYLON
CODE: MT0105
SOFT NYLON
CODE: MT0102

To be used with front and back movements for surface brushing and polishing of any type of paraffin and perfluorinated wax.
To be used for deep polishing of any type of paraffin and perfluorinated wax.



PRODUCTS
**MANUAL
BRUSH**
HARD BRASS
CODE: MT0106

To be used for first brushing of any type of soft and med paraffin.



PRODUCTS
**MANUAL
BRUSH**
SOFT BRASS
CODE: MT0103

To be used for smooth brushing of any type of soft and med paraffin and during the polyethylene-base cleaning operations.



PRODUCTS
**MANUAL
BRUSH**
SOFT STEEL
CODE: MT0107

To be used for smooth brushing of any type of hard paraffin and during the polyethylene-base cleaning operations.



PRODUCTS
**MANUAL
BRUSH**
HARD HORSEHAIR
CODE: MT0121
SOFT HORSEHAIR
CODE: MT0124

To be used for deep brushing of any type of paraffin and perfluorinated wax.
To be used for fine brushing of any type of paraffin and perfluorinated wax.



PRODUCTS
**MANUAL
BRUSH**
HARD NYLON
CODE: MT0125
SOFT NYLON
CODE: MT0122

To be used with front and back movements for surface brushing and polishing of any type of paraffin and perfluorinated wax.
To be used for deep polishing of any type of paraffin and perfluorinated wax.



PRODUCTS
**MANUAL
BRUSH**
HARD BRASS
CODE: MT0126

To be used for first brushing of any type of soft and med paraffin.



PRODUCTS
**MANUAL
BRUSH**
SOFT BRASS
CODE: MT0123

To be used for smooth brushing of any type of soft and med paraffin and during the polyethylene-base cleaning operations.



PRODUCTS
**MANUAL
BRUSH**
HARD STEEL
CODE: MT0128
Angled wire
SOFT STEEL
CODE: MT0127
Angled wire

To be used for first brushing of any type of hard paraffin and for speeding up polyethylene ski sole during its saturation.
To be used for smooth brushing of any type of hard paraffin and during the polyethylene-base cleaning operations.



PRODUCTS

ROTO
BRUSH

HORSEHAIR

CODE: MT0012 - 10 cm
CODE: MT0042 - 14 cm
CODE: MT0014 - 20 cm

To be used for deep brushing of any type of paraffin and perfluorinated wax on cross-country and alpine ski as well as snowboard.




PRODUCTS

ROTO
BRUSH

NYLON

CODE: MT0013 - 10 cm
CODE: MT0043 - 14 cm
CODE: MT0015 - 20 cm

To be used for polishing of any type of paraffin and perfluorinated wax on cross-country and alpine ski as well as snowboard.



PRODUCTS

ROTO
BRUSH

BRASS

CODE: MT0011 - 10 cm
CODE: MT0018 - 20 cm

To be used for first brushing of soft and med paraffin on cross-country and alpine ski as well as snowboard.



PRODUCTS

ROTO
BRUSH

STEEL

CODE: MT0017 - 10 cm
CODE: MT0019 - 20 cm

To be used for first brushing of hard paraffin on cross-country and alpine ski as well as snowboard.



PRODUCTS

ROTO
BRUSH

CORK

CODE: MT0022 - 10 cm
CODE: MT0024 - 14 cm

To be used for FP4 perfluorinated wax application.



PRODUCTS

ROTO
BRUSH

XC COMBI 1

CODE: MT0049 - 14 cm

To be used for deep brushing and polishing of any type of paraffin on cross-country ski.



PRODUCTS

ROTO
BRUSH

QUICK GRIP

CODE: MT0030



PRODUCTS

ROTO
BRUSH

QUIK DRIVE SHAFT

CODE: MT0031 - 10 cm
CODE: MT0032 - 14 cm
CODE: MT0033 - 20 cm



PRODUCTS

ROTO
BRUSH

NOMIC GRIP

CODE: MT0040



PRODUCTS

ROTO
BRUSH

NOMIC DRIVE SHAFT

CODE: MT0041 - 10 cm
CODE: MT0047 - 14 cm
CODE: MT0048 - 20 cm

SPEED FABRIC ROLLERS

PRODUCTS

**MANUAL
BRUSH**

ROTO KIT 10 CM - CORK
CODE: MT0060 (MT0040 + MT0041 + MT0022-12-13)



PRODUCTS

**MANUAL
BRUSH**

ROTO KIT 10 CM - BRASS
CODE: MT0065 (MT0040 + MT0041 + MT0011-12-13)



PRODUCTS

**MANUAL
BRUSH**

ROTO KIT 10 CM - POLYESTER
CODE: MT0066 (MT0040 + MT0041 + MT0070-12-13)



PRODUCTS

**MANUAL
BRUSH**

ROTOBRUSH BOX
CODE: BMC0103
38x28x9 cm
only for 10 cm brushes



PRODUCTS

**SPEED FABRIC
ROLLERS**

**SPREADING ROLLER
POLYESTER**

CODE: MT0070 - cm 10
CODE: MT0075 - cm 14
CODE: MT0080 - cm 20



PRODUCTS

**SPEED FABRIC
ROLLERS**

**POLISHING ROLLER
MERINO WOOL 12mm**

CODE: MT0072N - cm 10
CODE: MT0077N - cm 14
CODE: MT0082N - cm 20



PRODUCTS

**SPEED FABRIC
ROLLERS**

**POLYESTER &
MERINO WOOL
ROTO SET CM 10**

CODE: MT0085N



PRODUCTS

**SPEED FABRIC
ROLLERS**

**SPECIAL PROFI
ROLLER PAD CM 10**

CODE: MT0088



PRODUCTS

**SPEED FABRIC
ROLLERS**

**POLYESTER & MERINO
WOOL ROTO SET CM 14**

CODE: MT0086N



PRODUCTS

**SPEED FABRIC
ROLLERS**

**POLYESTER & MERINO
WOOL ROTO SET CM 20**

CODE: MT0087N



Polyester and Merino wool rollers especially recommended for hot or cold application of every FP4 perfluorinated waxes (powder, spray or solid).

Instead of roto-cork and traditional horsehair and nylon brushes, use new rollers of polyester and merino wool as follows:

1. Roll the base surface with the roto-polyester in both directions at a speed between 1000 and 1500 rpm according to the pressure applied. Repeat several times until the complete saturation of the base surface. Wait at least 10 minutes for cooling of the base surface and for the ski wax to harden.

2. Free the base structure with the 5 mm. roto-wool.

3. Polish the base structure with the 12 mm. roto-wool.

For top performances is necessary one set of new rollers for every type of product (cold-med-hot).



WAXING IRONS

PRODUCTS

TOOLS AND ACCESSORIES MAPLUSTEX FINE

CODE: MT0090RS
LENGHT : 10 cm - DIAMETER 11 cm

Thanks to its abrasive microlamine, it allows to speed up ski sole in really short time – just three passages are recommended – after new structuring with grinding machine. It also rejuvenates ski sole from opacity due to very abrasive or icy snow or after using an overtemperated waxing iron.

PRODUCTS

TOOLS AND ACCESSORIES MAPLUSTEX EXTRA FINE

CODE: MT0095RS
LENGHT : 10 cm - DIAMETER 11 cm

Thanks to its special fibres, it is recommended for removing microhairs from nordic skis after new structuring or grinding up. It also gives the final touch to the skis speeding up done with MaplusTex Fine: three passages after using MaplusTex Fine guarantee the best final results. Specially indicated for removing residues of a very hard solid wax, as Maplus Artic Base solid.

HOW TO USE TIPS

- having a larger diameter than normal rotating brushes, they must be used with minimum pressure at a maximum drill speed of 700/800 revolutions per minute (rpm);
- it is preferable to use them before preparing the edges, in order to avoid rounding off the cusps;
- after using MaplusTex rollers it is recommended to thoroughly clean the base with a specific liquid cleaner, as Maplus Clean, so to remove any residues.



PRODUCTS

WAXING IRONS

ADJUSTABLE WAXING IRON T10B.15

CODE: KZ05000N
AC 220V
MAX TEMP. 190°C

First choice waxing iron with easy temperature manual setting. Easy waxing in all directions due to ergonomic shape. Very competitive quality/price ratio.



PRODUCTS

WAXING IRONS

DIGITAL WAXING IRON T10A.15

CODE: KZ06000N
AC 220V
MAX TEMP. 200°C

Professional powerfull digital waxing iron. The digital microprocessor controls temperature adjustment till 200°C. Inox iron plate guarantees a constant temperature of working. Easy waxing in all directions due to ergonomic shape.



PRODUCTS

WAXING IRONS

DIGITAL WAXING IRON T10A.35

CODE: KZ03000N
AC 220V
MAX TEMP. 200°C

World Cup high professional waxing iron, with extremely precise digital temperature setting by digital microprocessor. The 35mm thick inox iron base guarantees the fully constant temperature. This iron wax is especially studied for handling all racing perfluorinated waxes which require stable and constant high temperature. Easy waxing in all directions due to ergonomic shape.



PRODUCTS

WAXING IRONS

FACIAL MASK

CODE: KZ08000
CE EN 136 - Class 3



PRODUCTS

WAXING IRONS

FILTER FOR FACIAL MASK

CODE: KZ08001
MSA A2-B2-E2-K1-HG-P3 CE

SKI FILES



PRODUCTS

SKI FILES

HARD CHROME FINE CUT 2

CODE: ML0001 - 150 mm
CODE: ML0002 - 200 mm

Universal FINE file with hard-chromed surfaces: satisfied the technical requirements of professional skimen

PRODUCTS

SKI FILES

HARD CHROME COARSE CUT 1

CODE: ML0003 - 200 mm

Universal COARSE file, with hard-chromed surfaces: satisfied the technical requirements of professional skimen

PRODUCTS

SKI FILES

HARD CHROME SUPER COARSE CUT 0

CODE: ML0004 - 200 mm

Universal SUPERCOARSE file, with hard-chromed surfaces: satisfied the technical requirements of professional skimen



PRODUCTS

SKI FILES

COMBI FILE MEDIUM - COARSE

CODE: ML0530 - 80 mm

Made of premium steel, this is the only ski file with two different cuts: a coarse cut on one side to provide an high and frank bite, and a medium cut on the other side to provide a fine tune on edge sharpening. Now with the same file it is possible to remove the excess of sidewall material, to sharpen damage edges and to refine edge sharpening with high precision. Its dimensions are adapted to most sharpeners of 80mm in length. With this combination, sharpening it is not only faster but also much more easy: every skis or snowboard will have a precise and powerful bite.



PRODUCTS

SKI FILES

FILE BRUSH

CODE: MT0100N

The perfect brush for cleaning all kind of files



PRODUCTS

SKI FILES

BODY FILE

CODE: ML0005 - 300 mm

Radial file special studied for roughing skis and snowboards



PRODUCTS

SKI FILES

PROFESSIONAL HARD CHROME BASTARD

CODE: ML0501 - 200 mm

Due to their high level precision and performance, these files are considered as the reference by the world's most renowned professional skimen. They are chosen by the most demanding users for their smooth and consistent bite. Thanks to their chromed plates, these files are protected against corrosion.

PRODUCTS

SKI FILES

PROFESSIONAL HARD CHROME 2ND CUT

CODE: ML0502 - 200 mm

PRODUCTS

SKI FILES

PROFESSIONAL HARD CHROME SMOOTH

CODE: ML0503 - 150 mm



PRODUCTS

SKI FILES

PROFESSIONAL NO-CHROME BASTARD

CODE: ML0511 - 200 mm

Due to their high level precision and performance, these files are considered as the reference by the world's most renowned professional skimen. They are chosen by the most demanding users for their smooth and consistent bite.

PRODUCTS

SKI FILES

PROFESSIONAL NO-CHROME 2ND CUT

CODE: ML0512 - 200 mm

PRODUCTS

SKI FILES

PROFESSIONAL NO-CHROME SMOOTH

CODE: ML0513 - 150 mm



PRODUCTS

SKI FILES

PRO RS NO-CHROME COARSE

CODE: ML0525 - 100 mm

PRODUCTS

SKI FILES

PRO RS NO-CHROME MEDIUM

CODE: ML0526 - 100 mm

PRODUCTS

SKI FILES

PRO RS NO-CHROME FINE

CODE: ML0527 - 100 mm

These files benefit from ideal dimensions and fit to a very precise sharpening. Produced with a premium steel in order to assure a consistent quality to the product, These files are optimized for an exceptional biting and do not clog.

DIAFACE - DIAMOND - STONES



PRODUCTS

DIAFACE

DIAFACE 100 gr

CODE: MP0210 - 70 mm
MP0200 - 100 mm

DIAFACE 400 gr

CODE: MP0212 - 70 mm
MP0202 - 100 mm

DIAFACE 1500 gr

CODE: MP0214 - 70 mm
MP0204 - 100 mm

DIAFACE 200 gr

CODE: MP0211 - 70 mm
MP0201 - 100 mm

DIAFACE 600 gr

CODE: MP0213 - 70 mm
MP0203 - 100 mm



PRODUCTS

DIAMOND

WORLD CUP DIAMOND 100 gr

CODE: MP0300 - 100 mm

WORLD CUP DIAMOND 400 gr

CODE: MP0302 - 100 mm

WORLD CUP DIAMOND 1000 gr

CODE: MP0304 - 100 mm

WORLD CUP DIAMOND 200 gr

CODE: MP0301 - 100 mm

WORLD CUP DIAMOND 600 gr

CODE: MP0303 - 100 mm



PRODUCTS


DIAFACE

MINI SQUARE 88°

CODE: MP0150 for diaface 70 mm

MINI SQUARE 87°

CODE: MP0151 for diaface 70 mm



PRODUCTS

STONES

NATURAL STONE

CODE: MP0002 - FINE
CODE: MP0003 - MEDIUM



PRODUCTS

STONES

GUMMY STONE ALLAROUND

CODE: MP0015



PRODUCTS

STONES

ARKANSAS

CODE: MP0004 - EXTRA FINE



PRODUCTS

STONES

ALU OXIDE STONE

CODE: BK00006 MEDIUM



PRODUCTS
WAXING TOOLS
CORK/NYLON BRUSH
CODE: MT0111
75 x 55 x 34 mm



PRODUCTS
WAXING TOOLS
SYNTHETIC CORK
CODE: MT0113
70 x 50 x 35 mm



PRODUCTS
WAXING TOOLS
CORK/FELT PAD
CODE: MT0115
135 x 42 x 39 mm



PRODUCTS
WAXING TOOLS
FELT PAD
CODE: MT0118
135 x 42 x 39 mm



PRODUCTS
WAXING TOOLS
VELCRO® PAD
CODE: MT0119
135 x 42 x 39 mm



PRODUCTS
WAXING TOOLS
CORK
CODE: MT0110
70 x 50 x 35 mm



PRODUCTS
WAXING TOOLS
GRIP WAX PAD
CODE: MT0116
135 x 42 x 39 mm



PRODUCTS
WAXING TOOLS
PLEXY SCRAPER
CODE: MT0511
130 x 60 x 4 mm

PLEXY SCRAPER
CODE: MT0518
130 x 60 x 5 mm

SNOWBOARD SCRAPER
CODE: MT0515N
260 x 70 x 5 mm



PRODUCTS
WAXING TOOLS
NORDIC SCRAPER
CODE: MT0510

GROOVE SCRAPER
CODE: MT0512



PRODUCTS
WAXING TOOLS
PTFE TAPE
CODE: MT0901
10 mt x 130 mm

PTFE SHEET
CODE: MT0902 - 10 pcs
200 x 130 mm



PRODUCTS
WAXING TOOLS
STEEL SCRAPER
CODE: MT0513 - 1 mm



PRODUCTS
WAXING TOOLS
STANDARD THERMOMETER
CODE: MT0915
temp. -20°/+50°



PRODUCTS
WAXING TOOLS
DIGITAL PROBE THERMOMETER
CODE: MT0921
temp. -40°/+200°



PRODUCTS
WAXING TOOLS
INFRARED THERMOMETER GUN
CODE: MT0916
temp. -33°/+500°



PRODUCTS
WAXING TOOLS
THERMO-HYGROMETER
CODE: MT0923
temp. -20°/+50°
hr 10% / 95%



PRODUCTS
WAXING TOOLS
PROFESSIONAL DIGITAL THERMOMETER WITH PENETRATION PROBE
CODE: MT0918
temp. -40°/+200°



PRODUCTS
WAXING TOOLS
DIGITAL THERMO HYGROMETER
CODE: MT0920
temp. -40°/+70°
hr. 1% / 99%




PRODUCTS
WAXING TOOLS
SKIMAN BOX
CODE: BMC0100
470 x 360 x 175 mm



PRODUCTS
WAXING TOOLS
POWDER NET DISPENSER
CODE: MT0905

PRODUCTS
WAXING TOOLS
WAXING THERMO BAG
CODE: MT0800 - AC 220V
2200 x 450 x 450 mm
ADJUSTABLE TEMP: 30°C - 60°C



10 alpine ski or 20 XC ski - 55°C x 6/8 hours - for ski base saturation



PRODUCTS
WAXING TOOLS
THERMO WAXING COVER
ALPINE - MT0801N - AC 220V
ALPINE - MT0801NUS - AC 110V
55°C - 60°C - 2300 x 140 mm
55°C x 1,5 h for quick skibase saturation



PRODUCTS
WAXING TOOLS
THERMO WAXING COVER
FREERIDE - MT0805N - AC 220V
FREERIDE - MT0805NUS - AC 110V
55°C - 60°C - 2000 x 170 mm
55°C x 1,5 h for quick ski base saturation



PRODUCTS
WAXING TOOLS
THERMO WAXING COVER
SNOWBOARD - MT0806N - AC 220V
SNOWBOARD - MT0806NUS - AC 110V
55°C - 60°C - 1800 x 330 mm
55°C x 1,5 h for quick ski base saturation



PRODUCTS
WAXING TOOLS
CLAMP FOR THERMO COVER
CODE: MT0802

PRODUCTS

SKILAB
ACCESSORIES
TRUE BAR
CODE: MT0514 - 3 mm
STEEL SCRAPER



PRODUCTS

SKILAB
ACCESSORIES
**PLASTIC BUSHING
THREADED**
CODE: LK21201 - 100 pcs
BLACK



PRODUCTS

SKILAB
ACCESSORIES
**HARD STEEL
SKI DRILL**
CODE: MM420CO - 4,1 x 9 mm



PRODUCTS

SKILAB
ACCESSORIES
**LUBRICANT FOR
SKI BINDINGS**
CODE: MM490 - 150 ml



PRODUCTS

SKILAB
ACCESSORIES
SAND PAPER 70 x 200 mm
CODE: BK00008 gr 600 - 5 pcs

SAND PAPER 120 x 200 mm
CODE: BK00950 gr 180 - 5 pcs
CODE: BK00951 gr 120 - 5 pcs



PRODUCTS

WAXING
TOOLS
MAPLUSTEX KIT
CODE: BK00009
135 x 110 x 7 mm



three different abrasive mats for
smoothening ski base

PRODUCTS

SKILAB
ACCESSORIES
HOLE PLUGS
CODE: LK21101 - 500 pcs
MIXED NORMAL COLORS

PRODUCTS

SKILAB
ACCESSORIES
STEEL SKI DRIL
CODE: MM420L - 3,5 x 7 mm
CODE: MM420L - 3,5 x 9 mm
CODE: MM420L - 3,8 x 10 mm
CODE: MM420L - 3,8 x 15 mm
CODE: MM420L - 4,1 x 9 mm

PRODUCTS

SKILAB
ACCESSORIES
SCREW DRIVER BIT
CODE: MMF4302
pzd2 x 110 mm - A4 standard
CODE: MMF4303
pzd3 x 110 mm - A4 standard

PRODUCTS

SKILAB
ACCESSORIES
**ELASTICS FOR
BINDING**
CODE: SM058100 - 1 kg

PRODUCTS

SKILAB
ACCESSORIES
**STEEL STRUCTURE
BRUSH**
CODE: BK00130

PRODUCTS

WAXING
TOOLS
FIBERLENE TAPE
CODE: MT0900
10 mt x 130 mm

PRODUCTS

MAINTENANCE
SOLES
SKI BASE
CODE: LK00001 - transparent - 4pcs
LK00002 - graphite - 4pcs
250 x 80 x 1,3 mm



PRODUCTS

MAINTENANCE
SOLES
GUN CANDLE ø 11.5 mm
CODE: LK20301 - transparent
LK20302 - graphite
LK20303 - black



PRODUCTS

MAINTENANCE
SOLES
**WIRE FOR SMEARING
MACHINE ø 3mm - 0.5 kg**
CODE: LK20601 - transparent
LK20602 - graphite
LK20607 - black



PRODUCTS

MAINTENANCE
SOLES
METAL GRIP ø 3,5mm - 10 mt
CODE: LK20902 - transparent
LK20904 - graphite



PRODUCTS

MAINTENANCE
SOLES
**POLYMERIC ADHESIVE
FOR SKI BASE REPAIRING**
CODE: LK00010 - amber - 25 ml
LK00015 - black - 25 ml



PRODUCTS

MAINTENANCE
SOLES
**UNIVERSAL
CYANACRYLATE ADHESIVE**
CODE: LK00020 - transparent - 30 gr



PRODUCTS

MAINTENANCE
SOLES
FREE CANDLE ø 8 mm
CODE: LK20001 - transparent
LK20002 - graphite
LK20003 - black



PRODUCTS

MAINTENANCE
SOLES
WELDING STRIP
CODE: LK20401 - transparent
LK20402 - graphite
LK20403 - black



PRODUCTS

MAINTENANCE
SOLES
**WIRE FOR SMEARING
MACHINE ø 3mm - 1.5 kg**
CODE: LK20661 - transparent
LK20662 - graphite
LK20667 - black



PRODUCTS

MAINTENANCE
SOLES
MIXING TIPS
CODE: LK00016 - 12 pcs



PRODUCTS

MAINTENANCE
SOLES
**PRIMER FOR
POLYETHYLENE**
CODE: LK00021 - spray - 15 ml



PRODUCTS

**SKI MAN
TABLE**
WORLD CUP PROFI SKIMAN TABLE
CODE: MT0650 - 18 Kg
Aluminium light weight
L100 x W50 x H60/90



LED LIGHTING SYSTEM MT0654

SKI RACK MT0651

LONGER LATERAL BARS MT0653



**SKI MAN
ACCESSORIES**
**WORLD CUP
SKI RACK**
CODE: MT0651



**SKI MAN
ACCESSORIES**
**WORLD CUP
LONGER WORKTOP**
CODE: MT0652



**SKI MAN
ACCESSORIES**
**WORLD CUP
LONGER TABLE BARS**
CODE: MT0653



**SKI MAN
ACCESSORIES**
**WORLD CUP
LED LIGHTING SYSTEM**
CODE: MT0654



PRODUCTS

**SKI MAN
FOLDING TABLE**
UNIVERSAL SKIMAN TABLE
CODE: MT0610 - 16,5 Kg
L102 x W50 x H85 cm



With handle and folding legs


PRODUCTS

**SKI MAN
FOLDING TABLE**
TRAVEL BENCH
CODE: MT0640
L115 x W9,5 x H120 cm.
3,6 kg.



PRODUCTS

**SKI MAN
ACCESSORIES**
TABLE BAG
CODE: MT0608
for table 610



PRODUCTS

**SKI MAN
ACCESSORIES**
SKI RACK
CODE: MT0614



PRODUCTS

**SKI MAN
ACCESSORIES**
IRON HOLDER
CODE: MT0620



PRODUCTS

**SKI MAN
ACCESSORIES**
RUBBISH BAG HOLDER
CODE: MT0621



PRODUCTS

**SKI MAN
ACCESSORIES**
XC PROFILE PRO
CODE: MT0613
Aluminium light weight
for table 611-612



PRODUCTS

**SKI MAN
ACCESSORIES**
CENTRAL CLIP
CODE: MT0617
for profile 613



PRODUCTS

**SKI MAN
ACCESSORIES**
XC PROFILE SET
CODE: MT0635
L150 x W4 x H18 cm.
3,7 kg.
(ski from 140 to 210 cm.)

PRODUCTS

SKI AND SNOWBOARD VISE

SKI VISE TOURING CODE: SM01007

- Especially designed for tuning Touring skis
- Lateral supports in high-tensile aluminium body
- Central in high-impact plastic body
- Two side edge positions: standard 90° and easy 60°



PRODUCTS

SKI AND SNOWBOARD VISE

SKI VISE TOURING CENTER ONLY CODE: SM01007C



PRODUCTS

SKI AND SNOWBOARD VISE

SKI VISE 24 HOURS CODE: SM00650

- High-tensile aluminium body
- Light and easy to transport
- For tuning all types & shapes of skis
- Special rubber to grip the ski during side and base work
- Included 2 brake retainers



PRODUCTS

SKI AND SNOWBOARD VISE

SKI VISE QUICK CODE: SM00690

- High-tensile aluminium body
- Light and easy to transport
- For tuning all types & shapes of skis
- Special rubber to grip the ski during base work
- Included 2 brake retainers



PRODUCTS

SKI AND SNOWBOARD VISE

SKI SUPPORT CODE: SM00695

- High-tensile aluminium body
- Light and easy to transport
- For tuning all types & shapes of skis
- Special rubber to grip the ski during base work
- Included 2 brake retainers




PRODUCTS

SKI AND SNOWBOARD VISE

BRAVO SUPPORT CODE: SM00635 for SM00691-1070N-1110N-1110NW

- Universal adapter with special rubber to grip cross-country ski, snowboard & wide ski during the base tuning



Snowboards
and wide skis
position

Cross-country skis
position

PRODUCTS

SKI AND SNOWBOARD VISE

SKI VISE COMP CODE: SM00691 max opening 85 mm

- Jaw width 30 mm
- Jaw opening: up to 90 mm
- High-tensile aluminium body
- Light and easy to transport
- For tuning all types & shapes of skis
- Included 2 brake retainers



PRODUCTS

SKI AND SNOWBOARD VISE

SKI VISE RACING CODE: SM01070N max opening 100 mm

- Jaw width: 70 mm
- Jaw opening: up to 100 mm
- Rubber lined vice jaws
- Special rubber with small suction cups on the top grip of the supports
- Adjustable guide blocks
- For skis with all kinds of riser plates
- High tensile aluminum body
- Also use horizontally for mounting bindings
- Included 2 brake retainers
- Designed to clamp also in the plate or binding



PRODUCTS

SKI AND SNOWBOARD VISE

SKI VISE PRO CODE: SM01110N max opening 100 mm

- Jaw width 90 mm
- Jaw opening: up to 100 mm
- High-tensile aluminium body
- For tuning all types & shapes of skis
- Included 2 brake retainers
- Designed to clamp also in the plate or binding



PRODUCTS

SKI AND SNOWBOARD VISE

SKI VISE PRO "WIDE OPENING" CODE: SM01110NW max opening 155 mm

- Jaw width 90 mm
- Jaw opening: up to 155 mm
- High-tensile aluminium body
- For tuning all types & shapes of skis
- Included 2 brake retainers
- Designed to clamp also in the plate or binding



PRODUCTS

SKI AND SNOWBOARD VISE

SKI VISE CROSS COUNTRY WORLD CUP CODE: SM00670N

- High-tensile aluminium body
- Light and practical for travelling
- For tuning all types & shapes of nordic skis



SKI AND SNOWBOARD VISE

SKI VISE XXL
CODE: SM00994

- High-tensile aluminium body
- Jaw width 70 mm
- Jaws opening up to 155 mm



SKI AND SNOWBOARD VISE

SNOWBOARD - FREERIDE SKI VISE
CODE: SM01003N

- High-impact plastic body
- For tuning all types of snowboards and wide skis
- Special rubber to grip the snowboards and wide skis during side and base tuning
- Two side edge positions: standard 90° and easy 60°
- Binding clearance: 160 mm



SKI AND SNOWBOARD VISE

DOUBLE WORKSHOP VISE
CODE: SM01021N


- Professional workshop vise for working on the base, on the bindings and plates, and on the side edge of all kind of skis and snowboard



SKI AND SNOWBOARD VISE

DOUBLE WORKSHOP SUPPORT
CODE: SM01022N

- Professional workshop supports for working on the side edge of all kind of skis and snowboard



EDGE SHARPENERS

RACING SHARP
CODE: SM05006
Side edge: 89°-88°-87°-86° / Base edge: 0,5°- 1°

- Ergonomic side edge sharpener
- Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- Right and left hand use
- For ski and snowboard
- Spare file 80 mm SM05104



EDGE SHARPENERS

RACING SHARP KIT
CODE: SM05007

- Ergonomic side edge sharpener
- Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- Right and left hand use
- For ski and snowboard



EDGE SHARPENERS

PRO SHARP
CODE: SM05001
from 90° to 85°

- Professional side edge sharpener
- Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- Fits any files, stones or diamonds up to 6 mm thick
- Ball bearing system to protect the base
- Right and left hand use
- For ski and snowboard
- Spare file 80 mm included



EDGE SHARPENERS

ERGO SHARP
CODE: SM05002
from 90° to 85°

- Ergonomic side edge sharpener
- Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- Fits any files, stones or diamonds up to 6 mm thick
- Right and left hand use
- For ski and snowboard
- Spare file 80 mm included



PRODUCTS

EDGE SHARPENERS

QUICK SHARP 88°-89°
CODE: SM03007

- Ergonomic side edge sharpener
- Pocket size, «on the slope» use also
- Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- Right and left hand use
- For ski and snowboard
- Spare file 40 mm SM05105



PRODUCTS

EDGE SHARPENERS

QUICK SHARP KIT 88°-89°
CODE: SM03009

- Ergonomic side edge sharpener
- Pocket size, «on the slope» use also
- Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- Right and left hand use
- For ski and snowboard
- Spare file 40 mm SM05105



PRODUCTS

EDGE SHARPENERS

DIAMOND SHARP 88°-89°
CODE: SM04006N

- Ergonomic side edge sharpener
- Pocket size, «on the slope» use also
- Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- Right and left hand use
- For ski and snowboard
- Spare file 40 mm SM05190



PRODUCTS

EDGE SHARPENERS

SPARE DIAMOND DISC
CODE: SM05190



PRODUCTS

EDGE SHARPENERS

SPARE ZIRCONIUM
CODE: SM05140



PRODUCTS

EDGE SHARPENERS

SPARE DIAMOND
CODE: SM05160



PRODUCTS

EDGE SHARPENERS

SPARE FILE BASTARD
CODE: SM05104 - 80 mm
SM05105 - 40 mm

PRODUCTS

EDGE SHARPENERS

SIDEWALL SHARP
CODE: SM03004

- Ergonomic sidewall planer
- Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- Adjustable blade position and cutting depth
- Right and left hand use
- For ski and snowboard



PRODUCTS

EDGE SHARPENERS

SIDEWALL SHARP
WORLD CUP
CODE: SM05005N

- Professional sidewall planer
- Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- Adjustable blade position and cutting depth
- Right and left hand use
- For ski and snowboard



SPARE BLADE STANDARD
CODE: SM05120



SPARE BLADE RADIUS 3 mm
CODE: SM05125



SPARE BLADE ROUND
CODE: SM05130



PRODUCTS

EDGE SHARPENERS

ADJUSTABLE BASE
EDGE FILE GUIDE
CODE: SM03071
from 0,5° to 1,5°

- Base edge sharpener
- Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- Fits any files, stones or diamonds up to 6 mm thick
- For ski and snowboard



PRODUCTS

EDGE SHARPENERS

BASE EDGE FILE GUIDE
CODE: SM03051N - 0,5°
SM03052N - 0,75°
SM03053N - 1°

- Professional base edge sharpener
- Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- Fits any files, stones or diamonds up to 6 mm thick
- For ski and snowboard



PRODUCTS

EDGE SHARPENERS

RACING GUIDE PLUS
CODE: SM03040 - 90°
SM03041 - 89°
SM03042 - 88°
SM03043 - 87°
SM03044 - 86°

- Side edge file guide with clamp included
- Designed to eject metal filings
- Ball bearing system to protect the base
- Fits any files, stones or diamonds
- For ski and snowboard



PRODUCTS

EDGE SHARPENERS

ALUMINIUM SQUARE
CODE: SQ0090V - 90°
SQ0089V - 89°
SQ0088V - 88°
SQ0087V - 87°
SQ0086V - 86°



PRODUCTS

EDGE SHARPENERS

SKI FILE CLAMP
CODE: MT0803



PRODUCTS

EDGE SHARPENERS

WORLD CUP INOX SQUARE
CODE: SQ0088N - 88°
SQ0087N - 87°
SQ0086N - 86°
SQ0085N - 85°



PRODUCTS

PLEXI SHARPENERS

WORLD CUP PLEXI SHARP
CODE: SM00631-220
from 90° to 86°

Electric, lightweight power tool, compact, easy to use, exclusively designed for fast and professional sharpening of all plastic wax scrapers. Thanks to its innovative and special technical features, plexi scrapers edges can be sharpened with considerably less effort than with conventional manual devices.

- Used for 3, 4, 5 mm plexi wax scraper thick
- Available in 220V for European market
- Dimensions: 150 (L) x 110 (W) x 80 (H) mm
- Weight: 636 gr



PRODUCTS

PLEXI SHARPENERS

PLEXI SHARP
CODE: SM00630N


- Wax scraper sharpener
- Used for 3, 4, 5 mm plexi wax scraper thick
- 100 mm body file included
- Spare 100 mm body file included



PRODUCTS

PLEXI SHARPENERS

SPARE BODY FILE
CODE: SM05101



PRODUCTS


NORDIC
STRUCTURE

NORDIC SHARP
CODE: SM08001
Art. SM08006 included

- Ergonomic structuring tool with interchangeable structure rollers
- Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- According to the snow conditions, it will increase the glide of the skis
- Delivered with a medium diagonal roller




Place on
the right side



PRODUCTS

**NORDIC
STRUCTURE**


**LINEAR
COARSE**
CODE: SM08002
for warm and wet conditions



PRODUCTS

**NORDIC
STRUCTURE**

**DIAGONAL
COARSE**
CODE: SM08005
for warm and wet conditions



PRODUCTS

**NORDIC
STRUCTURE**

**W
COARSE**
CODE: SM08008
for warm and wet conditions

**LINEAR
MEDIUM**
CODE: SM08003
for universal conditions

**LINEAR
FINE**
CODE: SM08004
for cold conditions

**DIAGONAL
MEDIUM**
CODE: SM08006
for universal conditions

**DIAGONAL
FINE**
CODE: SM08007
for cold conditions

**W
MEDIUM**
CODE: SM08009
for universal conditions

**W
FINE**
CODE: SM08010
for cold conditions

PRODUCTS

**HOTBOX
WAXING MACHINE**

HOTBOX 140
CODE: SV00001
DIMENSIONS: 205X198X100 mm
WEIGHT: 3 kg
VOLTAGE: 220V/50HZ
AVAILABLE AT: 110V
ABSORPTION: 0.7 Kw
OPERATING TEMP.: 110° - 140° C
ROLLER WIDTH: 120 mm



PRODUCTS

**HOTBOX
ACCESSORIES**

**140 TANK
WITH STANDARD ROLLER**
CODE: SV00002

**140 TANK
WITH CROSS COUNTRY ROLLER**
CODE: SV00003
Thin + Thick Layer

**160 TANK
WITH STANDARD ROLLER**
CODE: SV00011

**350 TANK
WITH SILICON ROLLER**
CODE: SV00009



PRODUCTS

**HOTBOX
ACCESSORIES**

**140 TANK
WITH SKI WAX SCRAPERS**
CODE: SV00004

PRODUCTS

**HOTBOX
ACCESSORIES**

**140 TANK
COVER**
CODE: SV00006
**160 TANK
COVER**
CODE: SV00012



PRODUCTS

**HOTBOX
WAXING MACHINE**

**GRIP WAX
DIGITAL HOTBOX**
CODE: SV00013
DIMENSIONS: 205X198X100 mm
WEIGHT: 4 kg
VOLTAGE: 220V/50HZ
AVAILABLE AT: 110V
ABSORPTION: 0.7 Kw
OPERATING TEMP.: 50° - 200° C
ROLLER WIDTH: 100 mm



PRODUCTS

**HOTBOX
ACCESSORIES**

**GRIP WAX TANK
WITH ROLLERS**
CODE: SV00014



PRODUCTS

**HOTBOX
ACCESSORIES**

**HERMETIC BOX
WITH FOAM PROTECTION**
CODE: SV00007 - L55xW42xH30 cm
CODE: SV00018 - L68xW52xH37 cm



ROTO WAXING & BRUSHING MACHINE



ROTO WAXING & BRUSHING MACHINE

MOTO BRUSH 2 WITHOUT ROLLERS
CODE: SV00020N
1 HEATING PLATE

Professional waxing and brushing machine with one heating plate and replaceable rollers.

DIMENSIONS: 590X160X215 MM
WEIGHT: 15 KG
VOLTAGE 220V/50HZ
ABSORPTION 0.5 KW



ROTO WAXING ACCESSORIES

ROLLER FOR MERINO WOOL LEATHER
CODE: SV00029 - 14 cm



ROTO WAXING ACCESSORIES

MERINO WOOL LEATHER
CODE: SV00021 - 14 cm



ROTO WAXING ACCESSORIES

SCOTCH BRITE ROLLER
CODE: SV00027 - 16 cm



ROTO WAXING ACCESSORIES

BRASS BRUSH 13 mm
CODE: SV00022 - 16 cm



ROTO WAXING ACCESSORIES

HORSEHAIR BRUSH 10 mm
CODE: SV00023 - 16 cm



ROTO WAXING ACCESSORIES

NYLON BRUSH 10 mm
CODE: SV00024 - 16 cm



ROTO WAXING ACCESSORIES

NYLON/HORSEHAIR BRUSH 10 mm
CODE: SV00026 - 16 cm



MOTOBURSH ACCESSORIES

WORK BASE HIGH STABILITY WORK BASE WITH DOOR AND SHELVES FOR HOT BOX AND MOTO BRUSH 2
CODE: SV00040

BAG & ACCESSORIES



BAG & ACCESSORIES

RACING BACK PACK
CODE: MB0300



BAG & ACCESSORIES

ALPINE BACK PACK
CODE: MB0310



BAG & ACCESSORIES

TRAVELLER TROLLEY
CODE: MB0200 - 90lt



BAG & ACCESSORIES

TEAM WHEEL BAG
CODE: MB0205 - 70lt



BAG & ACCESSORIES

SKITUBE
CODE: MB0400
3 xc ski - 1 alpine ski



BAG & ACCESSORIES

SKIBAG
CODE: MB0405
3 xc ski - 1 alpine ski



BAG & ACCESSORIES

WHEEL SKIBAG PRO
CODE: MB0410
6 xc ski - 3 alpine ski



PRODUCTS
ACCESSORIES
MERCHANDISING
SYNTHETIC DOWN JACKET
CODE: MA0322
S - M - L - XL - XXL



PRODUCTS
ACCESSORIES
MERCHANDISING
BUTTON NECK SHIRT
CODE: MA0009 - Short sleeves
MA0019 - Long sleeves
S - M - L - XL - XXL



PRODUCTS
ACCESSORIES
MERCHANDISING
XC COVER JACKET - UNISEX
CODE: MA079005U
XS - S - M - L - XL - XXL



PRODUCTS
ACCESSORIES
MERCHANDISING
XC COVER GILET - UNISEX
CODE: MA079006U
XS - S - M - L - XL - XXL



PRODUCTS
ACCESSORIES
MERCHANDISING
SKIMAN APRON COTTON
CODE: MA0003J



PRODUCTS
ACCESSORIES
MERCHANDISING
MAPLUS HODIE
CODE: MA0020 - black/orange
S - M - L - XL - XXL



PRODUCTS
ACCESSORIES
MERCHANDISING
XC RACE JACKET - LADY
CODE: MA079001W
XS - S - M - L - XL
XC RACE JACKET - MAN
CODE: MA079002M
S - M - L - XL - XXL



PRODUCTS
ACCESSORIES
MERCHANDISING
STICKER
CODE: MA1001M - 310 x 50 mm
MA1002M - 830 x 140 mm



PRODUCTS
ACCESSORIES
MERCHANDISING
PATCH
CODE: MA1033B - Black
MA1033W - White



PRODUCTS
ACCESSORIES
MERCHANDISING
CAP
CODE: MC0050N



PRODUCTS
ACCESSORIES
MERCHANDISING
MAPLUS HODIE
CODE: MA0022 - blue/gold
S - M - L - XL - XXL



PRODUCTS
ACCESSORIES
MERCHANDISING
XC COVER PANTS - UNISEX
CODE: MA079007U
XS - S - M - L - XL - XXL



PRODUCTS
ACCESSORIES
MERCHANDISING
XC RACE PANTS - LADY
CODE: MA079003W
XS - S - M - L - XL
XC RACE PANTS - MAN
CODE: MA079004M
S - M - L - XL - XXL



PRODUCTS
ACCESSORIES
MERCHANDISING
ADHESIVE PAPER TAPE
CODE: MA1014M



PRODUCTS
ADHESIVE TAPE
CODE: MA1004M



PRODUCTS
**NO-ADHESIVE PAPER
SKI TAPE**
CODE: MA1044M



PRODUCTS
ACCESSORIES
MERCHANDISING
HAT
CODE: MC0005M

PRODUCTS
ACCESSORIES
MERCHANDISING
NOW WOVEN BANNER
CODE: MA1005N
0,80 x 4 mt



BAG & ACCESSORIES



PRODUCTS

ACCESSORIES
MERCHANDISING

THERMO BELT
CODE: MA0007



PRODUCTS

ACCESSORIES
MERCHANDISING

FLAG
CODE: MA1008MS: 55x250 cm
MA1008ML: 65x315 cm

PRODUCTS

ACCESSORIES
MERCHANDISING

DRINK FIT BELT
CODE: MB0100



PRODUCTS

ACCESSORIES
MERCHANDISING

XC SKI STRAP
CODE: MA0025M
ALPINE SKI STRAP
CODE: MA0004M



PRODUCTS

ACCESSORIES
MERCHANDISING

XC RACING CLIP
CODE: MA0005M



PRODUCTS

ACCESSORIES
MERCHANDISING

MA1150 DISPLAY h 195 cm

Standard contents:
MA1303 Shelf 1 pc
MA1305 Hook bar 4 pcs
MA1306 Hook cm 15 15 pcs
MA1307 Hook cm 10 5 pcs
MA1300 Display base 1 pc
MA1301 Display back panel 3 pc
MA1302 Maplus Top Sign 1 pc

MA1160 DISPLAY h 135 cm

Standard contents:
MA1303 Shelf 1 pc
MA1305 Hook bar 3 pcs
MA1306 Hook cm 15 10 pcs
MA1307 Hook cm 10 5 pcs
MA1300 Display base 1 pc
MA1301 Display back panel 2 pc
MA1302 Maplus Top Sign 1 pc

MA1170 DISPLAY h 75 cm

Standard contents:
MA1305 Hook bar 2 pcs
MA1306 Hook cm 15 10 pcs
MA1300 Display base 1 pc
MA1301 Display back panel 1 pc
MA1302 Maplus Top Sign 1 pc

DISPLAY ACCESSORIES:

MA1300 DISPLAY BASE
MA1301 DISPLAY BACK PANEL
MA1302 MAPLUS TOP SIGN
MA1303 SHELF
MA1304 LOCKED GLASSED SHOWCASE
MA1305 HOOK BAR
MA1306 HOOK CM 15
MA1307 HOOK CM 10

PRODUCTS

ACCESSORIES
MERCHANDISING

SKI HOLDING STRIPE
CODE: MA0015M
for XC & Alpine ski



STRESS IT SPRAY IT RESTORE IT

Wet...mud... rain.... if you are a sport and outdoor life addicted, you often meet them on your way.

MAPLUS SUPER CARE LINE ensure that the high techs of your textiles and equipment go on longer and longer with you.

And with the **NEW ECO SUPER CARE LINE** totally environmentally oriented - while you care of your stuff, you focus on the biggest heritage we love and we must take care of.



PRODUCTS

SUPER CARE LINE

GOLF SHOES & GLOVES SUPER CARE

CODE: MI0015
6 x 250 ml - Display Box

SHOES & GLOVES SUPER CARE

CODE: MI0010
6 x 250 ml - Display Box

CLOTHING SUPER CARE

CODE: MI0001
6 x 250 ml - Display Box

TEXTILE SUPER CARE

CODE: MI0005
6 x 250 ml - Display Box

UNIVERSAL SANITIZING

CODE: MI0050 - 250 ml Spray
CODE: MI0051 - 5 lt - Liquid



ECOPROOF
solutions

PRODUCTS

ECO SUPER CARE LINE

ECO SHOES & GLOVES SUPER CARE

CODE: MI0110
SIZE: 500 ml

ECO TEXTILE SUPER CARE

CODE: MI0105
SIZE: 500 ml

ECO CLOTHING SUPER CARE

CODE: MI0101
SIZE: 500 ml

SUPER CARE LINE

Maflon s.p.a. is the italian leading company into processing high quality fluorchemical products matching the environmental sustainability.

The R&D department produces constantly new formulations of fluorinated polymers to realize appropriate and durable coating solutions for any kind of surface so to create a highly effective protective barrier against different agents as oils, water, food and beverages.

In order to get these results we respect the most advanced rules in term of sustainable development taking the best care of human being. Recently we have developed a line of eco-compatible active substances, soluble in water-base, so to obtain more and more environment friendly products maintaining excellent characteristics of hydro and oil repellency.

CLOTHING SUPER CARE

CODE: MI0001
6 x 250 ml - Display Box

Super waterproofing spray polymer for high technology functional clothing.

- Special for all membrane textiles (e.g. GORE-TEX®), natural and synthetic clothing included elastic functional textiles. Extremely versatile.
- It guarantees the best impregnation maintaining the original breathability.
- It creates a highly effective protective barrier guaranteeing the best results in term of oil and hydro repellency and anti-stain properties.
- Easy and quick to use

TEXTILE SUPER CARE

CODE: MI0005
6 x 250 ml - Display Box

Super waterproofing spray polymer for high technology fabric of tents, backpacks, bags, gloves, and umbrellas.

- Special for all natural and synthetic functional textiles and membrane textiles (e.g. GORE-TEX®). Extremely versatile.
- It guarantees the best impregnation maintaining the original breathability.
- It creates a highly effective protective barrier guaranteeing the best results in term of oil and hydro repellency and anti-stain properties.
- Easy and quick to use

SHOES & GLOVES SUPER CARE

CODE: MI0010
6 x 250 ml - Display Box

Super waterproofing spray polymer for high technology outdoor and mountains shoes and gloves in leather or mixed fabrics.

- Special for all membrane textiles (e.g. GORE-TEX®), natural and synthetic functional textiles and leather. Extremely versatile.
- It guarantees the best impregnation maintaining the original breathability.
- It creates a highly effective protective barrier guaranteeing the best results in term of oil and hydro repellency and anti-stain properties.
- It nourishes the outer material conserving the original flexibility.
- Easy and quick to use

GOLF SHOES & GLOVES SUPER CARE

CODE: MI0015
6 x 250 ml - Display Box

Super waterproofing spray polymer for high technology golf shoes and gloves in leather or mixed fabrics.

- Special for all leather and natural and synthetic functional textiles. Extremely versatile.
- It guarantees the best impregnation maintaining the original breathability.
- It creates a highly effective protective barrier guaranteeing the best results in term of oil and hydro repellency and anti-stain properties.
- It nourishes the outer material conserving the original flexibility.
- Easy and quick to use

UNIVERSAL SANITIZING

CODE: MI0050 - 250 ml Spray
CODE: MI0051 - 5 lt - Liquid

Super effective and long-lasting sanitizing for helmets, boots, gloves and shoes.

- Extremely versatile for professional and leisure applications.
- It totally neutralizes unpleasant odors leaving a fresh neutral fragrance.
- Environment friendly it works with total absence of corrosive or irritating action.
- The regular use ensures long-lasting freshness
- Easy and quick to use

SUPER CARE LINE ECO



ECO CLOTHING SUPER CARE

CODE: MI0101
SIZE: 500 ml

Recently we have developed a line of eco-compatible active substances, soluble in water-base, so to obtain more and more environment friendly products maintaining excellent characteristics of hydro and oil repellency.

Maflon s.p.a. is fully involved in the LCPFCs (Long-chain perfluorinated chemicals) elimination process therefore all our products do not contain PFOA and related compounds.

From this very high level experience the Maplus Care Line was born guaranteeing the best results in term of maintaining the oil and hydro repellency and the anti-stain properties of the functional clothing, technical textiles and all kind of outdoor and mountain shoes conserving the correct and effective breathability.

Waterproofing spray polymer for high technology functional clothing

- Special for all membrane textiles (e.g. GORE-TEX®), natural and synthetic clothing included elastic functional textiles. Extremely versatile.
- It guarantees the best impregnation maintaining the original breathability.
- Special formula soluble in water-base. Environment friendly.
- It creates an effective protective barrier guaranteeing the best results in term of oil and hydro repellency and anti-stain properties.
- Environment friendly trigger spray without propellant gas

ECO TEXTILE SUPER CARE

CODE: MI0105
SIZE: 500 ml

Waterproofing spray polymer for high technology fabric of tents, backpacks, bags, gloves, and umbrellas.

- Special for all natural and synthetic functional textiles and membrane textiles (e.g. GORE-TEX®). Extremely versatile.
- It guarantees the best impregnation maintaining the original breathability.
- Special formula soluble in water-base. Environment friendly.
- It creates a highly effective protective barrier guaranteeing the best results in term of oil and hydro repellency and anti-stain properties.
- Environment friendly trigger spray without propellant gas
- Easy and quick to use

ECO SHOES & GLOVES SUPER CARE

CODE: MI0110
SIZE: 500 ml

Waterproofing spray polymer for high technology outdoor and mountains shoes and gloves in leather or mixed fabrics.

- Special for all membrane textiles (e.g. GORE-TEX®), natural and synthetic functional textiles and leather. Extremely versatile.
- It guarantees the best impregnation maintaining the original breathability.
- Special formula soluble in water-base. Environment friendly.
- It creates a highly effective protective barrier guaranteeing the best results in term of oil and hydro repellency and anti-stain properties.
- It nourishes the outer material conserving the original flexibility.
- Environment friendly trigger spray without propellant gas
- Easy and quick to use



MAPLUS[®]

MAFLON S.p.A - MAPLUS DIVISION

MAFLON S.p.A. - Via Soave , 7 - 20135 Milano (Mi)
PH. +39 035 4494383 - FAX +39 035 4425443

www.maplus.it - info@maplus.it

MAPLUS[®] is a registered trade mark of Maflon S.p.A.

Maflon S.p.A. reserves the right to modify or discountinue any product in every moment at its own discretion or as a result of supervening regulations incompatible with those reported.
Every product may not be available in all countries.